


Amoxicillin (U.S.P.)

On GraceSmart™ HPLC Column

HO O O H
$$CH_3$$
 $3H_2O$ CH_3







Test condition (as USP assay)

Test sample: 1.2mg/ml Amoxicillin in 0.05 N monobasic potassium phosphate (adjusted with 45% (w/w) solution of potassium hydroxide to a pH of 5.0 ± 0.1)

Column: 4.6 x 250mm C18

Flow: 1.5ml/min

Eluent: Isocratic, 0.05 N monobasic potassium phosphate (adjusted with 45% (w/w) solution of potassium hydroxide to a pH of 5.0 ± 0.1) : acetonitrile 96:4

Detection: Absorbance, 230nm

Column temp.: 30°C Injection Volume: 10µl

Competitor 1 C18
Competitor 2 C18
Competitor 3 C18
Competitor 4 C18

GraceSmart™ C18 Part # 5138810

	USP Spec	GraceSmart™ C18	Comp 1 C18	Comp 2 C18	Comp 3 C18	Comp 4 C18
Ret. Time (min)	N/A	3.800	4.050	4.988	3.333	3.768
Theoretical plates	≥1700	8543	7216	6230	7049	7680
Tailing Factor	≤2.5	1.015	1.180	1.041	1.034	0.979
k`	1.1≤k`≤2.8	1.2	1.6	2.3	0.99	1.6

GRACE®, GRACESMART™, and GRACE DAVISON DISCOVERY SCIENCES™ are trademarks and/or registered trademarks of W. R. Grace & Co.-Conn. The trademarks designated with the ® symbol are registered in the United States and/or other countries. This trademark list has been

באראבטיישראי ", מודט שירעעב באייער איין מייערעב באייער איין אייער שירעעביין באייער אייער אייערע

11/17/2006, M172

Grace Davison Discovery Sciences™ Regional Headquarters:

In the Americas: 2051 Waukegan Rd. Deerfield, IL 60015 Tel: 847-948-8600 Email: contact.alltech@grace.com In Europe: Brandstraat 12 B-9160 Lokeren, Belgium Tel: 09-340-65 65 Email: info-lokeren.alltech@grace.com In Asia:

19th Floor, K.Wah Center 1010 Hua Hai Zhong Road Shanghai 200031 P.R.C Tel: 86-21-5467 4678 Email: dsbiz.asia@grace.com In Australia/New Zealand: 30 Brookhollow Avenue

Baulkham Hills New South Wales 2153, Australia Tel: 1300 36 24 12

Email: custcare-aust.discoverysciences@grace.com